

FLEXSPRAY[™]

PRO 18V

BATTERY-POWERED,

SMALL JOB SPRAYER



SCAN FOR PRODUCT DETAILS, VIDEOS AND RESOURCES





Creates atomization power equal to a 4-stage HVLP and the output equal to an airless sprayer using a 413 tip.

FLEXSPRAY™ PRO 18V

THE MULTI-TOOL FOR PAINTING PROFESSIONALS

INCLUDES 4 CLEANING BRUSHES

AND 1 PAINT FILTER





AIR REGULATION CONTROL

Adjust airflow for coating and speed.



MATERIAL FLOW CONTROL

Numbered settings for versatility and repeatability of applications.

ACCESSORIES

SOLD SEPARATELY

DESCRIPTION	PART NO.		
Air Filter	2435625		
AMPShare Battery Charger	2463866		
AMPShare 4.0Ah Battery	2463866		
FlexFinish Front End with Cup	2458829		
FineFinish Front End with Cup	2458828		
Front End O-Ring	417308		
Nozzle Seal	2365643		
FlexFinish Suction Tube	2323674		
FineFinish Suction Tube	2319222		
Small Cleaning Brush	514209		
Large Cleaning Brush	2403545		
Storage Bag	2454311		

FlexSpray Pro 18V

SPECIFICATIONS	
Cup Capacity	1 qt (0.95 l)
Weight	4.3 lbs (1.95 kg)
Flow Rate	0.31 gpm (1.2 lpm)
Battery Voltage	18V
Battery Amp Hour	4
Charge Time	LESS THAN AN HOUR 32 minutes for 80% 50 minutes for 100%
Part Number	2443773B
UPC	024964306701



Cover up to 700 sq. ft. on a single battery's charge



TITAN'S QUICK-CHANGE SYSTEM

Makes it simple to get started, change coatings or colors on the fly and cleanup when your project is done.



FlexFinish® Pro Front End P/N 2458829

Optimized for higher production on larger surfaces using architectural coatings

PRO-TIP: Have a front end for each application. Swap out nozzles on the fly to finish jobs quicker.



FineFinish™ Pro Front End P/N 2458828

Optimized for fine finish applications with a round pattern for small surfaces

PRO-TIP: Have a front end for each material. Store the material in the cup when done.

COATING RECOMMENDATION CHART

COATINGS Pattern Width	FLEXFINISH PRO 3" to 10"	FINEFINISH PRO 0.5" to 3"
Stain		
Lacquers		
Urethanes		
Enamels		
Acrylic Alkyds		
Acrylic Latex		
Multi-Color		

For use with FlexSpray Pro 18V.



SUITABLE





BEST AND LONGEST WARRANTY
IN THE INDUSTRY

TITANWEARGUARD.COM

FlexSpray Pro 18V Warranty Information

Four-Year Manufacturer's Defect* – We pledge that our sprayers are free from defects in materials and workmanship.

Two-Year Turbine* – Against defects in materials and workmanship.

AMPShare - Powered by Bosch – Provides a 3-year limited warranty on the batteries and 5-years on the chargers.

*Manufacturer's Defect Warranty excludes normal wear items and consumables such as filters, piston, packings, spray tips, spray guns, hoses, etc.



titantool.com

Titan Tool

1770 Fernbrook Lane Minneapolis, MN 55447 1-800-526-5362